

1.50 Spherical Bifocal Round Top Blank 70 mm

ASAHI-LITE®

Diameter (mm)	Nominal convex curve (D)	Power range at main meridian (D)	Actual convex curve (N=1.53) (D)	Radius of curvature R1 (mm)	Sagitta depth gauge 50mm bell (mm)	Actual concave curve (N=1.53) (D)	Center thickness (mm)	Edge thickness (mm)	Add. powers in 0.25 D steps
70 / 24mm	0.50	-5.25 to -10.00	0,44	1.204,55	0,259	5,70	10,0	16,0	0.75 to 4.00
70 / 24mm	2.00	-2.00 to -5.00	1,98	267,68	1,170	5,70	11,6	16,0	0.75 to 4.00
70 / 24mm	4.00	-1.00 to -3.00	3,94	134,52	2,344	5,70	6,8	9,0	0.75 to 4.00
70 / 24mm	6.00	+2.00 to -2.00	6,03	87,89	3,630	5,70	9,5	9,0	0.75 to 4.00
70 / 24mm	8.00	+2.00 to +5.00	8,09	65,51	4,958	5,70	10,0	7,0	0.75 to 4.00
70 / 24mm	10.00	+5.25 to +7.00	10,06	52,68	6,309	5,70	13,0	7,0	0.75 to 4.00
70 / 28mm	2.00	-2.00 to -5.00	1,99	266,33	1,176	5,70	6,0	11,0	0.75 to 4.00
70 / 28mm	4.00	-1.00 to -3.00	3,93	134,86	2,337	5,70	7,5	9,0	0.75 to 4.00
70 / 28mm	6.00	+2.00 to -2.00	6,03	87,89	3,630	5,70	8,8	9,0	0.75 to 4.00
70 / 28mm	8.00	+2.00 to +5.00	8,06	65,76	4,938	5,70	9,5	7,0	0.75 to 4.00
70 / 38mm	2.00	-2.00 to -5.00	1,98	267,68	1,170	5,70	12,0	16,0	0.50 to 4.00
70 / 38mm	4.00	-1.00 to -3.00	3,99	132,83	2,374	5,70	7,0	9,0	0.50 to 4.00
70 / 38mm	6.00	+2.00 to -2.00	6,06	87,46	3,649	5,70	9,0	9,0	0.50 to 4.00
70 / 38mm	8.00	+2.00 to +5.00	8,09	65,51	4,958	5,70	10,0	7,0	0.50 to 4.00
70 / 38mm	10.00	+5.25 to +7.00	10,08	52,58	6,324	5,70	13,0	7,0	0.50 to 4.00
70 / 45mm	4.00	-1.00 to -3.00	3,99	132,83	2,374	5,70	7,0	9,0	1.00 to 3.00
70 / 45mm	6.00	+2.00 to -2.00	6,06	87,46	3,649	5,70	9,0	9,0	1.00 to 3.00
70 / 45mm	8.00	+2.00 to +5.00	8,09	65,51	4,958	5,70	10,0	7,0	1.00 to 3.00

