# SELECT Clear Vision 1.56 Mid Index AS

**Available coatings:** UC / HC / HMC / HMC+

Finished | Power Range | Minus SPH

UV400 | Made in China

| SPH (D) | 0.00 | -0.25 | -0.50 | -0.75 | -1.00 | -1.25 | -1.50 | -1.75 | -2.00 | -2.25 | -2.50 | -2.75 | -3.00 | -3.25 | -3.50 | -3.75 | -4.00 | -4.25 | -4.50 | -4.75 | -5.00 | -5.25 | -5.50 | -5.75 | -6.00 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 0.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -0.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -0.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -0.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -1.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -1.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -1.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -1.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -2.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -2.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -2.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -2.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -3.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -3.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -3.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -3.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -4.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -4.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -4.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C |
| -4.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -5.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -5.25 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -5.50 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -5.75 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -6.00 | | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | C | | | | | | | |
| -6.25 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -6.50 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -6.75 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -7.00 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -7.25 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -7.50 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -7.75 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -8.00 | | B | B | B | B | B | B | B | B | | | | | | | | | | | | | | | | |
| -8.25 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -8.50 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -8.75 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -9.00 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -9.25 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -9.50 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -9.75 | B | | | | | | | | | | | | | | | | | | | | | | | | |
| -10.00 | B | | | | | | | | | | | | | | | | | | | | | | | | |

A: Ø65 mm

B: Ø70 mm

C: Ø72 mm

White cells: no combination documented for this product.

CYL values are shown in D. Reference geometry follows on subsequent pages.

SPH-dependent CYL limits follow the approved detailed specifications.

# SELECT Clear Vision 1.56 Mid Index AS

**Available coatings:** UC / HC / HMC / HMC+

Finished | Power Range | Plus SPH

UV400 | Made in China

| SPH (D) | 0.00 | -0.25 | -0.50 | -0.75 | -1.00 | -1.25 | -1.50 | -1.75 | -2.00 | -2.25 | -2.50 | -2.75 | -3.00 | -3.25 | -3.50 | -3.75 | -4.00 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| +0.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +0.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +0.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +1.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +1.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +1.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +1.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +2.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +2.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +2.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +2.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +3.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +3.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +3.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +3.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +4.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +4.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +4.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +4.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +5.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +5.25 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +5.50 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +5.75 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +6.00 | | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A | A |
| +6.25 | A | | | | | | | | | | | | | | | | |
| +6.50 | A | | | | | | | | | | | | | | | | |
| +6.75 | A | | | | | | | | | | | | | | | | |
| +7.00 | A | | | | | | | | | | | | | | | | |
| +7.25 | A | | | | | | | | | | | | | | | | |
| +7.50 | A | | | | | | | | | | | | | | | | |
| +7.75 | A | | | | | | | | | | | | | | | | |
| +8.00 | A | | | | | | | | | | | | | | | | |

A: Ø65 mm

B: Ø70 mm

C: Ø72 mm

White cells: no combination documented for this product.

CYL values are shown in D. Reference geometry follows on subsequent pages.

SPH-dependent CYL limits follow the approved detailed specifications.

# SELECT Clear Vision 1.56 Mid Index AS

Finished | AS

UV400 | Made in China

* CYL depends on SPH. See Power Range and detailed notes.

| CYL ( - ON - ) -0.25 to -6.00* | | | | | POWER | CYL ( +ON - ) 0.00 / -0.25 to -4.00* | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| DIA-(mm) | E/T (mm) | C/T (mm) | BACK BASE | FRONT BASE | | FRONT BASE | BACK BASE | C/T (mm) | E/T (mm) | DIA-(mm) |
| Ø72 | 2.1 | 2 | 4 | 4 | PLANO | | | | | |
| | 2.3 | 2 | 4 | 3.75 | 0.25 | 4.25 | 4 | 1.9 | 1.7 | Ø65 |
| | 2.8 | 2 | 4 | 3.5 | 0.5 | 4.5 | 4 | 2 | 1.6 | Ø65 |
| | 2.8 | 1.8 | 4 | 3.25 | 0.75 | 4.75 | 4 | 2 | 1.6 | Ø65 |
| | 3.1 | 1.8 | 4 | 3 | 1 | 5 | 4 | 2.2 | 1.6 | Ø65 |
| | 3.3 | 1.6 | 4 | 2.75 | 1.25 | 4.25 | 3 | 2.2 | 1.2 | Ø65 |
| | 3.5 | 1.6 | 4 | 2.5 | 1.5 | 4.5 | 3 | 2.4 | 1.2 | Ø65 |
| | 3.8 | 1.4 | 5 | 3.25 | 1.75 | 4.75 | 3 | 2.6 | 1.2 | Ø65 |
| | 4.1 | 1.4 | 5 | 3 | 2 | 5 | 3 | 2.8 | 1.2 | Ø65 |
| | 4.2 | 1.2 | 5 | 2.75 | 2.25 | 5.25 | 3 | 3.1 | 1.2 | Ø65 |
| | 4.5 | 1.2 | 5 | 2.5 | 2.5 | 5.5 | 3 | 3.4 | 1.2 | Ø65 |
| | 4.8 | 1.2 | 5 | 2.25 | 2.75 | 5.75 | 3 | 3.7 | 1.2 | Ø65 |
| | 5.1 | 1.2 | 5 | 2 | 3 | 6 | 3 | 3.9 | 1.2 | Ø65 |
| | 5.4 | 1.2 | 5.5 | 2.25 | 3.25 | 5.25 | 2 | 4 | 1.1 | Ø65 |
| | 5.7 | 1.2 | 5.5 | 2 | 3.5 | 5.5 | 2 | 4.2 | 1.1 | Ø65 |
| | 6 | 1.2 | 5.5 | 1.75 | 3.75 | 5.75 | 2 | 4.4 | 1.1 | Ø65 |
| | 6.3 | 1.2 | 5.5 | 1.5 | 4 | 6 | 2 | 4.7 | 1.1 | Ø65 |
| | 6.6 | 1.2 | 5.5 | 1.25 | 4.25 | 6.25 | 2 | 4.9 | 1.1 | Ø65 |
| | 6.9 | 1.2 | 5.5 | 1 | 4.5 | 6.5 | 2 | 5.2 | 1.1 | Ø65 |
| | 7.2 | 1.2 | 6.5 | 1.75 | 4.75 | 6.75 | 2 | 5.5 | 1.1 | Ø65 |
| | 7.6 | 1.2 | 6.5 | 1.5 | 5 | 7 | 2 | 5.7 | 1.1 | Ø65 |
| | 7.8 | 1.2 | 6.5 | 1.25 | 5.25 | 7.25 | 2 | 5.9 | 1.1 | Ø65 |
| | 8.1 | 1.2 | 6.5 | 1 | 5.5 | 7.5 | 2 | 6.2 | 1.1 | Ø65 |
| | 8.4 | 1.2 | 6.5 | 0.75 | 5.75 | 7.75 | 2 | 6.4 | 1.1 | Ø65 |
| | 8.7 | 1.2 | 6.5 | 0.5 | 6 | 8 | 2 | 6.7 | 1.1 | Ø65 |
| Ø70 | 8.8 | 1.2 | 7.5 | 1.25 | 6.25 | **TOLERANCE ( +/- 0. 3 mm )**<br>CENTER- EDGE THICKNESS<br>**1. "MINUS" LENS**<br>SPH AXIS : 0.00 ~ -4.50<br>CYL AXIS : -0.25 ~ -6.00<br>SPH AXIS : -4.75 ~ -6.00<br>CYL AXIS :-0.25 ~ -4.00<br>SPH AXIS :-6.25 ~ -8.00<br>CYL AXIS : -0.25 ~ -2.00<br>SPH AXIS : -8.25 ~ -10.00<br>CYL AXIS :0.00<br>2."PULS"LENS<br>SPH AXIS:+0.25~+6.00<br>CYL AXIS : -0.25 ~ -4.00<br>SPH AXIS:+6.25~+8.00<br>CYL AXIS : 0.00 | | | | | |
| | 9.1 | 1.2 | 7.5 | 1 | 6.5 | | | | | |
| | 9.4 | 1.2 | 7.5 | 0.75 | 6.75 | | | | | |
| | 9.7 | 1.2 | 7.5 | 0.5 | 7 | | | | | |
| | 9.8 | 1.2 | 8.5 | 1.25 | 7.25 | | | | | |
| | 10.2 | 1.2 | 8.5 | 1 | 7.5 | | | | | |
| | 10.6 | 1.2 | 8.5 | 0.75 | 7.75 | | | | | |
| | 11.1 | 1.2 | 8.5 | 0.5 | 8 | | | | | |
| Ø70 | 11.6 | 1.2 | 9.5 | 1.25 | 8.25 | | | | | |
| | 12 | 1.2 | 9.5 | 1 | 8.5 | | | | | |
| | 12.2 | 1.2 | 9.5 | 0.75 | 8.75 | | | | | |
| | 12.5 | 1.2 | 9.5 | 0.5 | 9 | | | | | |
| | 13.3 | 1.2 | 10.5 | 1.25 | 9.25 | | | | | |
| | 13.6 | 1.2 | 10.5 | 1 | 9.5 | | | | | |
| | 13.9 | 1.2 | 10.5 | 0.75 | 9.75 | | | | | |
| | 14.2 | 1.2 | 10.5 | 0.5 | 10 | | | | | |