SELECT Blue 1.60 MR-8

Available coatings: UC / HC / HMC / HMC+

Finished | Power Range | Minus SPH

UV420 | Made in China

SPH (D)	0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00	-2.25	-2.50	-2.75	-3.00	-3.25	-3.50	-3.75	-4.00
0.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-0.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-0.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-0.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-1.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-1.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-1.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-1.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-2.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-2.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-2.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-2.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-3.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-3.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-3.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-3.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-4.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-4.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-4.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-4.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-5.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-5.25		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-5.50		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-5.75		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-6.00		C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
-6.25		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-6.50		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-6.75		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-7.00		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-7.25		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-7.50		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-7.75		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-8.00		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
-8.25		B	B	B	B	B	B	B	B								
-8.50		B	B	B	B	B	B	B	B								
-8.75		B	B	B	B	B	B	B	B								
-9.00		B	B	B	B	B	B	B	B								
-9.25		B	B	B	B	B	B	B	B								
-9.50		B	B	B	B	B	B	B	B								
-9.75		B	B	B	B	B	B	B	B								
-10.00		B	B	B	B	B	B	B	B								
-10.25	B																
-10.50	B																
-10.75	B																
-11.00	B																
-11.25	B																
-11.50	B																
-11.75	B																
-12.00	B																

A: Ø65 mm

B: Ø70 mm

C: Ø75 mm

White cells: no combination documented for this product.

CYL values are shown in D. Reference geometry follows on subsequent pages.

SELECT Blue 1.60 MR-8

Available coatings: UC / HC / HMC / HMC+

Finished | Power Range | Plus SPH

UV420 | Made in China

SPH (D)	0.00	-0.25	-0.50	-0.75	-1.00	-1.25	-1.50	-1.75	-2.00	-2.25	-2.50	-2.75	-3.00	-3.25	-3.50	-3.75	-4.00
+0.25		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+0.50		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+0.75		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+1.00		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+1.25		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+1.50		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+1.75		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+2.00		B	B	B	B	B	B	B	B	B	B	B	B	B	B	B	B
+2.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+2.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+2.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+3.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+3.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+3.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+3.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+4.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+4.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+4.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+4.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+5.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+5.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+5.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+5.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+6.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+6.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+6.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+6.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+7.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+7.25		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+7.50		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+7.75		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A
+8.00		A	A	A	A	A	A	A	A	A	A	A	A	A	A	A	A

A: Ø65 mm

B: Ø70 mm

C: Ø75 mm

White cells: no combination documented for this product.

CYL values are shown in D. Reference geometry follows on subsequent pages.

SELECT Blue 1.60 MR-8

Finished | SPH

MR-8 | UV420 | Made in China

CYL(-ON-) -0.25~-4.00					POWER	CYL(+ON-) -0.25~-4.00						
DIA- (mm)	E/T (mm)	C/T (mm)	BACK BASE	FORNT BASE		FORNT BASE	BACK BASE	C/T (mm)	E/T (mm)	DIA- (mm)		
Ø75	2	2	4.50	4.5	PLANO							
	2.2	1.8		4.25	0.25	4.75	4.5	2.2	1.9	Ø70		117.778
	2.4	1.7		4	0.5	5		1.9	1.4			
	2.7	1.7		3.75	0.75	5.25		2	1.2			
	2.9	1.6		3.5	1	5.5		2.1	1.1			
	3.3	1.5	5.00	3.7	1.25	5.75		2.4	1.1			
	3.5	1.4		3.5	1.5	6		2.7				
	3.6	1.15		3.25	1.75	6.25		2.9				
	3.9	1.15		3	2	6.5		3.2				
Ø75	3.8	1.15	5.50	3.25	2.25	5.35	3.1	3.2		Ø65		
	4.1			3	2.5	5.6		3.4				
	4.4			2.75	2.75	5.85		3.6				
	4.7			2.5	3	6.1		3.8				
	5		6.00	2.75	3.25	6.35		4				
	5.3			2.5	3.5	6.6		4.3				
	5.6			2.25	3.75	6.85		4.5				
	6.1			2	4	7.1		4.7				
Ø75	6.2		6.50	2.25	4.25	5.15	0.9	4.9				
	6.6			2	4.5	5.4		5.1				
	6.9			1.75	4.75	5.65		5.4				
	7.3			1.5	5	5.9		5.6				
	7.6		7.50	2.25	5.25	6.15		5.8				
	7.9			2	5.5	6.4		6				
	8.2			1.75	5.75	6.65		6.2				
	8.5			1.5	6	6.9		6.4				

SELECT Blue 1.60 MR-8

Finished | SPH

MR-8 | UV420 | Made in China

CYL(-ON-) -0.25~-4.00					POWER	CYL(+ON-) -0.25~-4.00						
DIA- (mm)	E/T (mm)	C/T (mm)	BACK BASE	FORNT BASE		FORNT BASE	BACK BASE	C/T (mm)	E/T (mm)	DIA- (mm)		
Ø70	8	1.15	8.25	2	6.25	7.15	0.9	6.6	1.1	Ø65		
	8.3			1.75	6.5	7.35		6.9				
	8.5			1.5	6.75	7.55		7.1				
	8.7			1.25	7	7.75		7.3				
	9.1			1	7.25	7.95		7.6				
	9.3			0.75	7.5	8.15		7.8				
	9.9		9.25	1.5	7.75	8.35		8.1				
	10.1			1.25	8	8.55		8.3				
	10.4			1	8.25	**1. "MINUS" LENS** SPH Axis : -0.00 ~ -8.00 CYL Axis : -0.25 ~ -4.00 SPH Axis: -8.25 ~ -10.00 CYL Axis : -0.25 ~ -2.00 SPH Axis: -10.25 ~ -12.00 CYL Axis : Not Available **2. "PLUS" LENS** SPH Axis : +0.25 ~ +8.00 CYL Axis : -0.25 ~ -4.00 **3. TOLERANCE (+/- 0. 3 mm)** CENTER- EDGE THICKNESS						
	10.6			0.75	8.5							
	11			0.5	8.75							
	11.2			0.25	9							
	11.5		10.25	1	9.25							
	11.9			0.75	9.5							
	12.2			0.5	9.75							
	12.5			0.25	10							
	12.6		11.25	1	10.25							
	13			0.75	10.5							
	13.3			0.5	10.75							
	13.6			0.25	11							
	13.8		12.25	1	11.25							
	14.2			0.75	11.5							
	14.5			0.5	11.75							
	14.8			0.25	12							